

(Sri S. R. NAGAPPA SETTY)

which are accepted by the Government of India and sent to State Government for introduction ;

(b) the total amount required to increase the scales and the amount of subsidy expected from the Government of India ;

(c) the action that the Government of Mysore have taken in this connection to increase the pay of primary school teachers ?

A.—Sri Kadidal MANJAPPA (Minister for Education).—

(a) The Government of India have suggested a minimum pay of Rs. 40 for non-S.S.L.C. untrained teachers and Rs. 50 for trained, S.S.L.C. teachers. No graded pay has been suggested by the Government of India.

(b) (i) Rs. 76.50 lakhs per annum.

(ii) The Government of India have agreed to meet 50 per cent of the extra cost involved on this account.

(c) The matter is under the consideration of Government.

ಶ್ರೀ ಎಸ್. ಆರ್. ನಾಗಪ್ಪ ಶೆಟ್ಟಿ.—76.50 ಲಕ್ಷ ರೂಪಾಯಿಗಳ ಖರ್ಚು ಎಂದು ಉತ್ತರದಲ್ಲಿ ಹೇಳಿದೆ ಇದು ಏತಕ್ಕಾಗಿ ? ಸ್ವಾಮಿ ;

Sri Kadidal MANJAPPA.—To give effect to the new scales.

ಶ್ರೀ ಎಸ್. ಆರ್. ನಾಗಪ್ಪ ಶೆಟ್ಟಿ.—ಉತ್ತರದಲ್ಲಿ ಪರಿಶೀಲನೆಯಲ್ಲಿದೆ ಎಂದು ಹೇಳಿದೆ, ಯಾವಾಗಿನಿಂದ, ಸ್ವಾಮಿ ?

Sri Kadidal MANJAPPA.—This answer was printed long back. So far as answer to (c) is concerned, the new scales of pay have come into force already.

Mr. SPEAKER.—So the answer should be modified to that extent, namely, that orders have already been passed and the new pay scales are in operation.

Sri S. R. NAGAPPA SETTY.—Is it that the Government of India new scales are in operation ?

Sri Kadidal MANJAPPA.—No, the Mysore scales of pay.

ಶ್ರೀ ಎಸ್. ಆರ್. ನಾಗಪ್ಪ ಶೆಟ್ಟಿ.—76.50 ಲಕ್ಷ ರೂಪಾಯಿಗಳಲ್ಲಿ ಕೇಂದ್ರ ಸರ್ಕಾರ ಶೇಕಡ 50ರಷ್ಟನ್ನು ಕೊಟ್ಟು ಮೇಲೆ ನಮ್ಮ ಸರ್ಕಾರ ಶೇಕಡ 50ರಷ್ಟನ್ನು meet ಮಾಡುವುದಕ್ಕಾಗುವುದಿಲ್ಲವೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಅದನ್ನು ನಾವಾಗಲೇ ಒಪ್ಪಿಕೊಂಡಿದ್ದೇವೆ.

Sri S. SRINIVASA IYENGAR.—Supplementary to (b) (ii). May I know for what period the Government of India have agreed to meet 50 per cent of the extra cost ?

Sri Kadidal MANJAPPA.—The period is not definite.

Sri S. SRINIVASA IYENGAR.—Will Government request the Government of India that this sharing should be for ever ?

Sri Kadidal MANJAPPA.—We are interested in making such a request.

ಶ್ರೀ ಎ. ಆರ್. ನಾಯ್ಡು.—ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್ ಗಳ ಆಡಳಿತಕ್ಕೆ ಒಳಪಟ್ಟಿರುವ ಉಪಾಧ್ಯಾಯರುಗಳಿಗೆ ಈ ಹೊಸ ಸಂಬಳಸಾರಿಗೆಗಳು ಅನ್ವಯವಾಗುವ ತ್ವರೆಯೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ರಾಜ್ಯಪಾಲರ ಭಾಷಣದಲ್ಲಿ ಹೇಳಿರುವಂತೆ ಈ ವಿಷಯ ಇನ್ನೂ ಸರ್ಕಾರದ ಪರಿಶೀಲನೆಯಲ್ಲಿದೆ.

ಶ್ರೀ ಎ. ಆರ್. ನಾಯ್ಡು.—ನಮ್ಮ ಮೈಸೂರು ಸಂಸ್ಥಾನದ ಕೆಲವು ಮುನಿಸಿಪಾಲಿಟಿಗಳ ಆಡಳಿತದಲ್ಲಿ ಇರತಕ್ಕ ಉಪಾಧ್ಯಾಯರುಗಳಿಗೆ ಐದಾರು ತಿಂಗಳಿಂದಲೂ ಸಂಬಳವೇ ಸಿಕ್ಕಿಲ್ಲ ಎನ್ನುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

Mr. SPEAKER.—That is a different question.

Construction of Overhead Tank for Supply of Water in Civil Area.

Q.—111. Sri M. PALANIYAPPAN (Ulsoor).—

Will the Government be pleased to state :—

(a) whether there was any proposal to construct overhead tank for the supply of drinking water for the people living in Cox Town, Cooks Town, Frazer Town and St. John's Hill areas ;

(b) the stage at which the proposal is pending ;

(c) the estimated cost of all the tanks ;

(d) when it will be completed ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Yes, three ground storage tanks.

(b) Construction work is expected to be taken up shortly.

(c) Rs. 8.5 lakhs.

(d) In about a year's time.

Sri M. PALANIYAPPAN.—When were these estimates sanctioned?

*Sri H. K. VEERANNA GOWDH.—1956 May, 2nd.

Sri M. PALANIYAPPAN.—Was the Work Order issued?

Sri H. K. VEERANNA GOWDH.—Yes; the work is under progress.

Sri M. PALANIYAPPAN.—Is the work executed by the Corporation or the Water Supply Department?

Sri H. K. VEERANNA GOWDH.—I want notice for that, Sir.

Sri M. PALANIYAPPAN.—I want to know the agency through which this work would be got done.

Sri H. K. VEERANNA GOWDH.—I want notice.

Sri M. PALANIYAPPAN.—Is it not a fact that in order to give immediate relief to the people that live in the locality that these tanks are asked to be constructed?

Sri H. K. VEERANNA GOWDH.—Yes; but the work has to be done.

Sri M. PALANIYAPPAN.—Sir, the work was sanctioned in 1956 and we are now in the middle of 1957. Government says that it will take one more year to complete the work. Is it not being delayed too much?

Sri H. K. VEERANNA GOWDH.—It is a matter of opinion.

Sri M. PALANIYAPPAN.—At least, will the Government take sympathetic view since the matter is very urgent and execute the work as early as possible?

Sri H. K. VEERANNA GOWDH.—Government have taken a very sympathetic view.

Sri M. PALANIYAPPAN.—Let the Government show sympathy in expediting the work.

Mr. SPEAKER.—That is what the Hon'ble Minister just now said.

Repair and Restoration of the Malur Tank.

Q.—304. Sri H. C. LINGA REDDY (Malur).—

Will the Government be pleased to state:—

(a) whether an estimate for repair and restoration of the Malur tank (on

the western side of Malur) has been prepared;

(b) if so, details of the estimate and the action taken in the matter?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Yes.

(b) One estimate for the Rs. 1,560 for urgent repairs and another estimate for Rs. 15,600 for restoration.

The work of repairs is taken up and is in progress.

Regarding the estimate for restoration, the Assistant Engineer is due to hold an enquiry as prescribed under the Irrigation Act.

Sri H. C. LINGA REDDY.—May I know when these estimates were prepared, Sir?

*Sri H. K. VEERANNA GOWDH.—The estimates for repairs were prepared only after the month of November, because these estimates are on account of damages done due to heavy rain.

Sri H. C. LINGA REDDY.—Are Government aware that two more estimates have been prepared recently for repairing the tank bund very urgently?

Sri H. K. VEERANNA GOWDH.—I want notice for that.

Sri H. C. LINGA REDDY.—Will the Government see that the tank bund is repaired very early?

Sri H. K. VEERANNA GOWDH.—According to the recommendations made by the authorities, it would be done, Sir.

Chikkahole Project.

Q.—211. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state:—

(a) whether they have sanctioned the "Chikkahole Project" which has been included in the Second Five-Year Plan;

(b) if so, the date of its sanction;

(c) if sanctioned, whether the said project has been started?